



PRODUCT MANUAL

Dongguan Yijian Packaging Machinery Co., Ltd.



 Dongguan Yijian Packaging Machinery Co., Ltd.

 No. 169, Xiechang Road, Xiegang Town, Dongguan
City, Guangdong Province , China

 <https://cn1501576689.en.alibaba.com>

 lurong@chinashineye.com holiday@chinashineye.com

 <http://www.chinashineye.com>

YiJian

COMPANY PROFILE

Dongguan Yijian Packaging Machinery Co., Ltd.

Dongguan Yijian Packaging Machinery Co., Ltd. is a modern technology-based packaging enterprise in China that integrates the multiple functions of scientific research, design, production, sales and service for the domestic household and commercial dual-purpose vacuum packaging machine series.

The company was founded in 2013. Today, it boasts a number of electronic development engineers, skilled technical staff, and a manufacturing plant covering an area of 3,000 square meters. Additionally, the company holds complete independent intellectual property rights, and has an R&D engineering department, professional technical personnel, as well as a marketing and after-sales service team.

To better serve customers and meet their diverse needs, we can provide customized services such as OEM and ODM based on customers' specific applications and requirements.

For a long time, the company has adhered to a market development approach that enhances products through technology. It strictly controls product quality and production costs in accordance with its quality management system. Meanwhile, its systematic and scientific management has continuously improved production efficiency. The company is committed to providing users with higher-quality and cost-effective products.



Founded in 2013



Covers an area of 3,000+ square meters



80+Technical Developer



300+Employees



CONTENTS

DONGGUAN YIJIAN PACKAGING MACHINERY CO., LTD

01 UNIVERSAL
VACUUM SEALER

02 FLAT BAG
VACUUM SEALER

03 TEXTURED BAG
VACUUM SEALER


04 COMMERCIAL
VACUUM SEALER

05 HANDHELD
VACUUM PUMP

06 VACUUM BAG

07 HAND-PRESSED
SEALER

08 VACUUM SEALED
FOOD CONTAINER



We offer OEM and ODM services, providing customized solutions to meet your specific needs. We always adhere to the principle that "customer satisfaction is our goal."

We consistently strive for product innovation, continuously exploring and developing new products. Only by persisting in innovative development then we can provide better high-quality products to users .

Our rigorous product quality control system and excellent service have earned customer recognition, leading to exports to over 40 countries and regions in Europe, America, Southeast Asia, and the Middle East. We have also established long-term, close cooperative relationships with numerous companies both domestically and internationally

VACUUM MACHINE SERIES

All vacuum packaging bags are applicable.

All flat textured vacuum packaging bags are applicable.
Be suitable for dry, moist, oily and powdered substances.
It has an inflation function, and bags can be inflated and sealed.
Be suitable for dry, moist, oily and powdered substances.
Sealing time can be adjusted according to the thickness of the bag.
Equipped with dual vacuum pumps, the 250W large capacity ensures high working efficiency.



SPECIFICATION

Model:	PW300A	Appearance size:	400X200X105mm
Heating wire width:	6MM	Shell material:	Stainless steelABS
Sealable bag width:	30CM	Rated voltage:	AC110-220V
Net weight:	2.9kg	Vacuum degree:	-0.07~-0.08Mpa
Ratd power :	250W	Rated frequency:	50HZ-60HZ

Equipped with a cutter, dual air nozzles perform vacuum pumping simultaneously.
Three large-capacity filter cups, three vacuum pumps, with power up to 260W.
All vacuum packaging bags are applicable.
Be suitable for dry, moist, oily and powdered substances.
Vacuum sealing time can be adjusted according to the thickness of the bag.



SPECIFICATION

Model:	PW420	Appearance size:	540X280X125mm
Heating wire width:	8MM	Shell material:	Stainless steelABS
Sealable bag width:	42CM	Rated voltage:	AC110-220V
Net weight:	5.87kg	Vacuum degree:	-0.08~-0.09Mpa
Rated power :	260W	Rated frequency:	50HZ-60HZ

VACUUM MACHINE SERIES

All vacuum packaging bags are applicable.

All vacuum packaging bags are applicable.
Vacuum machine automatically open/close the lid
The control panel adopts a digital display + touch control design;
Outer shell of the body is made of stainless steel
Upper cover features a transparent black tempered glass panel.
It has an inflation function; bags can be inflated and sealed, and it also has a marinating function.
Sealing time can be adjusted according to the thickness of the bag, and the machine is equipped with the latest intelligent digital air pressure sensor.



SPECIFICATION

Model:	ZK300A	Appearance size:	366X478X302mm
Heating wire width:	8MM	Shell material:	Stainless steelABS
Sealable bag width:	30CM	Rated voltage:	AC110-220V
Net weight:	21.5kg	Vacuum degree:	-0.1Mpa
Rated power :	380W	Rated frequency:	50HZ-60HZ

The upper cover automatically presses down, with no manual pressing required; it can either operate the panel manually or via the foot pedal for vacuuming.
Large-capacity filter cup, large vacuum pump, with power up to 270W.
Be suitable for dry, moist, oily and powdered substances.
Sealing and vacuum time can be adjusted according to the thickness of the bag.
It has an inflation function. All vacuum packaging bags are applicable.



SPECIFICATION

Model:	PWZ320A	Appearance size:	393X233X154mm
Heating wire width:	6MM	Shell material:	Stainless steelABS
Sealable bag width:	32CM	Rated voltage:	AC110-220V
Net weight:	4.2kg	Vacuum degree:	-0.09Mpa
Rated power :	270W	Rated frequency:	50HZ-60HZ

VACUUM MACHINE SERIES

- Built-in filter cup
- Non-destructive sealing
- Be compatible with all flat and smooth vacuum packaging bags available on the market
- Vacuum for dry, wet, oily, power foods.



SPECIFICATION

Model:	P290	Appearance size:	390X148X72mm
Heating wire width:	5MM	Shell material:	Engineering+ABS
Sealable bag width:	29CM	Rated voltage:	AC110-220V
Net weight:	2kg	Vacuum degree:	-0.07~-0.08Mpa
Rated power :	220W	Rated frequency:	50HZ-60HZ

Applicable to all flat vacuum bags

- Be compatible with all flat, smooth vacuum packaging bags on the market
- Built-in filter cup
- LCD screen; both vacuum pumping time and sealing time are adjustable
- Be suitable for dry, moist, oily and powdered substances.
- Sealing and vacuum time can be adjusted according to the thickness of the bag.
- Equipped with a gentle vacuum pumping mode, it is suitable for fragile, soft and other items that require gentle handling.



SPECIFICATION

Model:	P290B	Appearance size:	390X148X72mm
Heating wire width:	5MM	Shell material:	Engineering+ABS
Sealable bag width:	29CM	Rated voltage:	AC110-220V
Net weight:	2kg	Vacuum degree:	-0.07~-0.08Mpa
Rated power :	220W	Rated frequency:	50HZ-60HZ

VACUUM MACHINE SERIES

Applicable to all flat vacuum bags

All flat vacuum packaging bags are applicable
With a built-in filter cup.
Be suitable for dry, moist, oily and powdered substances.
It has an inflation function, and bags can be inflated and sealed.
Sealing time can be adjusted according to the thickness of the bag
Equipped with a large vacuum pump, the 200W large capacity ensures high working efficiency.



SPECIFICATION

Model:	PS300	Appearance size:	374X149X87mm
Heating wire width:	6MM	Shell material:	Engineering+ABS
Sealable bag width:	30CM	Rated voltage:	AC110-220V
Net weight:	1.54kg	Vacuum degree:	-0.07~-0.08Mpa
Rated power :	200W	Rated frequency:	50HZ-60HZ

All flat vacuum packaging bags are applicable. Built-in filter cup.
Sealing time can be adjusted according to the thickness of the bag.
Independent sealing.



SPECIFICATION

Model:	P280	Appearance size:	355X140X70mm
Heating wire width:	4MM	Shell material:	Engineering+ABS
Sealable bag width:	28CM	Rated voltage:	AC110-220V
Net weight:	1.44kg	Vacuum degree:	-0.075~-0.08Mpa
Rated power :	150W	Rated frequency:	50HZ-60HZ

VACUUM MACHINE SERIES

Applicable to all flat vacuum bags

All flat vacuum packaging bags are applicable

Be suitable for dry, moist, oily and powdered substances.

It has an inflation function, and bags can be inflated and sealed.

Sealing time can be adjusted according to the thickness of the bag.

Built-in filter cup.



Flat bag vacuum sealer, equipped with a high-flow vacuum pump inside. Its control unit adopts a microcomputer control chip with independent core technology, featuring a user-friendly operation memory function, automatic nozzle extension and retraction, and digital dynamic display of sealing time. It offers multiple functions including automatic sealing, manual sealing, and automatic external suction. Equipped with a safety filter device, it can vacuum-package items containing liquid and powder, achieving true wet & dry dual-purpose capability. Suitable for flat bags, composite food bags, aluminum foil bags, etc.



SPECIFICATION

Model:	P280B	Appearance size:	390X148X72mm
Heating wire width:	3MM	Shell material:	Engineering+ABS
Sealable bag width:	28CM	Rated voltage:	AC110-220V
Net weight:	1.68kg	Vacuum degree:	-0.065~-0.07Mpa
Rated power :	120W	Rated frequency:	50HZ-60HZ

SPECIFICATION

Model:	P280C	Appearance size:	365X148X72mm
Heating wire width:	4MM	Shell material:	Engineering+ABS
Sealable bag width:	28CM	Rated voltage:	AC110-220V
Net weight:	1.58kg	Vacuum degree:	-0.065~-0.07Mpa
Rated power :	140W	Rated frequency:	50HZ-60HZ

VACUUM MACHINE SERIES

Applicable to all flat vacuum bags

It is semi-automatic and suitable for vacuum packaging of dry solid items. Equipped with a stainless steel air extraction nozzle, it is applicable to flat bags, plastic bags, composite food bags, aluminum foil bags, etc. It is widely used in food, pharmaceutical, electronics and other industries.



SPECIFICATION

Model:	DZ-280/2SD	Appearance size:	350X140X70mm
Heating wire width:	4MM	Shell material:	Engineering+ABS
Sealable bag width:	28CM	Rated voltage:	AC110-220V
Net weight:	2.1kg	Vacuum degree:	-0.06Mpa
Rated power :	150W	Rated frequency:	50HZ-60HZ

Semi-automatic, wet & dry dual-purpose. Equipped with a safety filter device, it can vacuum-package items containing liquid and a small amount of powder. Featuring a stainless steel air extraction nozzle, it is suitable for flat bags, composite food bags, aluminum foil bags, etc. It is widely used in food, pharmaceutical, electronics and other industries.



SPECIFICATION

Model:	DZ-280/2SE	Appearance size:	350X140X70mm
Heating wire width:	5MM	Shell material:	Engineering+ABS
Sealable bag width:	28CM	Rated voltage:	AC110-220V
Net weight:	2.2kg	Vacuum degree:	-0.07~-0.08Mpa
Rated power :	150W	Rated frequency:	50HZ-60HZ

VACUUM MACHINE SERIES

All flat vacuum packaging bags are applicable, with a built-in filter cup
Be suitable for dry, moist, oily and powdered substances. It has an inflation function, and bags can be inflated and sealed.
Sealing time can be adjusted according to the thickness of the bag.
The sealing heating wire has a width of 6mm, and the sealing length reaches 350mm.



SPECIFICATION

Model:	P350A	Appearance size:	427X187X82mm
Heating wire width:	6MM	Shell material:	Engineering+ABS
Sealable bag width:	35CM	Rated voltage:	AC110-220V
Net weight:	2.8kg	Vacuum degree:	-0.08~-0.09Mpa
Rated power :	200W	Rated frequency:	50HZ-60HZ

Applicable to all flat vacuum bags

All flat textured vacuum packaging bags are applicable.
Be suitable for dry, moist, oily and powdered substances
It has an inflation function, and bags can be inflated and sealed.
Sealing time can be adjusted according to the thickness of the bag.
Built-in filter cup.
Digital display screen with intuitive and simple operation; built-in memory function, which can save common settings and reduce repeated operations



SPECIFICATION

Model:	P400	Appearance size:	480X220X95mm
Heating wire width:	8MM	Shell material:	Engineering+ABS
Sealable bag width:	40CM	Rated voltage:	AC110-220V
Net weight:	4kg	Vacuum degree:	-0.08Mpa
Rated power :	240W	Rated frequency:	50HZ-60HZ

VACUUM MACHINE SERIES

All flat vacuum packaging bags are applicable
Be suitable for dry, moist, oily and powdered substances.
Sealing time can be adjusted according to the thickness of the bag.
It supports an independent sealing mode without activating the vacuum pump, which can avoid damage to items caused by vacuum pumping.
Digital display screen with intuitive and simple operation; built-in memory function, which can save common settings and reduce repeated operations.



SPECIFICATION

Model:	DZ300	Appearance size:	375X140X95mm
Heating wire width:	5MM	Shell material:	Engineering+ABS
Sealable bag width:	30CM	Rated voltage:	AC110-220V
Net weight:	2kg	Vacuum degree:	-0.075~-0.08Mpa
Rated power :	200W	Rated frequency:	50HZ-60HZ

Hot sale Machines



VACUUM MACHINE SERIES

Applicable to all textured vacuum bags

This machine features our self-developed patented locking mechanism. Just lower the lid gently, and it will auto-detect vacuum bags. It auto-locks, starts sealing, and unlocks automatically once done for effortless use.

It handles both dry and wet food. Built with dual heating strips and exclusive smart chip wet-seal program, it delivers double sealing protection to stop air and liquid leaks for moist ingredients. Built-in Roll Storage Slot & Cutter.

Three heat settings (Low/Medium/High) fit all embossed bags of different thicknesses and materials. With intelligent control and unique sealing structure, it works perfectly with shallow mesh bags, compatible with textured food pouches, mesh vacuum bags, rice brick bags and all plastic vacuum pouches.



SPECIFICATION

Model:	WB320A	Appearance size:	450X235X110mm
Heating wire width:	2.5MM X2	Shell material:	Stainless steelABS
Sealable bag width:	32CM	Rated voltage:	AC220V
Net weight:	3.95kg	Vacuum degree:	-0.08Mpa
Rated power :	240W	Rated frequency:	50Hz

VACUUM MACHINE SERIES

Applicable to all textured vacuum bags

All textured vacuum packaging bags are applicable

One-button start, low noise. Independent sealing, pause button.

Compact and exquisite, sturdy and durable. Damage-free sealing.

All textured vacuum packaging bags are applicable

Compact and portable, easy to operate, sturdy and durable.

One-button start, low noise. Independent sealing, pause button.

Damage-free sealing, external suction capacity. Built-in cutter, one-button start.



SPECIFICATION

Model:	W230	Appearance size:	370X120X35mm
Heating wire width:	2.5MM	Shell material:	Engineering+ABS
Sealable bag width:	30CM	Rated voltage:	AC110-220V
Net weight:	1.0kg	Vacuum degree:	-0.06Mpa
Rated power :	100W	Rated frequency:	50HZ-60HZ

SPECIFICATION

Model:	W100	Appearance size:	375X88X64mm
Heating wire width:	2.5MM	Shell material:	Engineering+ABS
Sealable bag width:	28CM	Rated voltage:	AC110-220V
Net weight:	0.71kg	Vacuum degree:	-0.055Mpa
Rated power :	80W	Rated frequency:	50HZ-60HZ

VACUUM MACHINE SERIES

Applicable to all textured vacuum bags

The roll bag storage compartment is directly compatible with the machine, facilitating operation

Adopts an independent split integrated design, balancing functionality and practicality.

Equipped with a built-in cutter for easy access when needed; it uses a stainless steel blade with strong durability.

Suitable for dry, moist and oily powdered substances.

Damage-free sealing, external suction, suitable for various scenarios such as vacuum fresh-keeping jars, wine stoppers.



SPECIFICATION

Model:	DZ320	Appearance size:	385X155X125mm
Heating wire width:	3MM	Shell material:	Stainless steelABS
Sealable bag width:	32CM	Rated voltage:	AC110-220V
Net weight:	1.65kg	Vacuum degree:	-0.075~-0.08Mpa
Rated power :	150W	Rated frequency:	50HZ-60HZ

Adopts an independent split integrated design with a built-in cutter, making it easy to cut bags when using roll bags.

The roller design enables roll bag storage on the machine; simply pull out to make vacuum bags of different sizes.

Equipped with a built-in cutter, suitable for dry, moist and powdered items.

Manual mode: adjust the suction power according to product needs.

Supports external suction, suitable for vacuum fresh-keeping jars, wine stoppers.



SPECIFICATION

Model:	DZ320D	Appearance size:	385X155X125mm
Heating wire width:	3MM	Shell material:	Stainless steelABS
Sealable bag width:	32CM	Rated voltage:	AC110-220V
Net weight:	1.65kg	Vacuum degree:	-0.075~-0.08Mpa
Rated power :	150W	Rated frequency:	50HZ-60HZ

VACUUM MACHINE SERIES

Applicable to all textured vacuum bags

All textured vacuum packaging bags are applicable

Stainless steel shell, touch buttons. Independent sealing, pause button.

Equipped with a cutter, 4000mAh battery, easy to carry for outdoor use.

Built-in high-suction vacuum pump with fast air suction speed.

Damage-free sealing, external suction, suitable for various vacuum fresh-keeping jars, wine stoppers, and other scenarios.



SPECIFICATION

Model:	EW300B	Appearance size:	386X95X70mm
Heating wire width:	2.5MM	Shell material:	Stainless steelABS
Sealable bag width:	30CM	TYPE-C input:	5V--2.5A
Net weight:	1.1kg	Vacuum degree:	-0.06Mpa
Battery capacity:	4000mAh		

All textured vacuum packaging bags are applicable

Independent sealing, pause button.

Stainless steel shell, equipped with touch buttons and vacuum sealing function, easy to operate.Equipped with a high-suction vacuum pump, enabling fast air suction speed. Sealing length can reach 32 cm.

Multiple bags can be vacuumed simultaneously. The machine has an air suction function and a built-in bag cutter, suitable for various scenarios such as vacuum fresh-keeping containers.



SPECIFICATION

Model:	W3310	Appearance size:	370X155X70mm
Heating wire width:	2.5MM	Shell material:	Stainless steelABS
Sealable bag width:	32CM	Rated voltage:	AC110-220V
Net weight:	1.4kg	Vacuum degree:	-0.075Mpa
Rated power :	85W	Rated frequency:	50HZ-60HZ

VACUUM MACHINE SERIES

Applicable to all textured vacuum bags

All textured vacuum packaging bags are applicable

Equipped with a durable pump vacuum pumping device.

Allows simultaneous sealing of multiple food bags. Provides a sealing length of up to 30 cm. Independent sealing, pause button.

Built-in high-suction vacuum pump with fast air suction speed.

Damage-free sealing, external suction, suitable for various scenarios such as vacuum fresh-keeping jars, wine stoppers, and clothing storage.



SPECIFICATION

Model:	W300	Appearance size:	385X150X75mm
Heating wire width:	3MM	Shell material:	Engineering+ABS
Sealable bag width:	30CM	Rated voltage:	AC110-220V
Net weight:	1.4kg	Vacuum degree:	-0.07~-0.075Mpa
Rated power :	120W	Rated frequency:	50HZ-60HZ

All textured vacuum packaging bags are applicable

Compact and exquisite, sturdy and durable. One-button start, low noise.

Independent sealing, pause button. Equipped with dual-pump vacuum pumping.

Damage-free sealing, external suction, suitable for various vacuum fresh-keeping jars, wine stoppers and other scenarios.



SPECIFICATION

Model:	DZ108	Appearance size:	375X100X55mm
Heating wire width:	2MM	Shell material:	Engineering+ABS
Sealable bag width:	30CM	Rated voltage:	AC110-220V
Net weight:	0.80kg	Vacuum degree:	-0.055Mpa
Rated power :	75W	Rated frequency:	50HZ-60HZ

VACUUM MACHINE SERIES

Applicable to all textured vacuum bags

All textured vacuum packaging bags are applicable

Adopts an independent split integrated design, balancing functionality and practicality. Features a new 32cm sealing width, meeting the needs of large-size packagin.Equipped with a high-power vacuum pump, achieving fast suction.

Suitable for dry, moist and oily powdered substances.

Damage-free sealing, external suction, suitable for various scenarios such as vacuum fresh-keeping jars, wine stoppers and others.



SPECIFICATION

Model:	AJ320	Appearance size:	385X155X80mm
Heating wire width:	3MM	Shell material:	Stainless steelABS
Sealable bag width:	32CM	Rated voltage:	AC110-220V
Net weight:	1.45kg	Vacuum degree:	-0.075~-0.08Mpa
Rated power :	150W	Rated frequency:	50HZ-60HZ

All textured vacuum packaging bags are applicable

Adopts an independent detachable integrated design, balancing operational flexibility and integration convenience.

Equipped with a built-in vacuum gauge, which can intuitively monitor the vacuum degree, achieving a clear and controllable operating status.

Equipped with a high-power vacuum pump to achieve fast suction.

Damage-free sealing, external suction, suitable for various scenarios such as vacuum fresh-keeping jars, wine stoppers.

Suitable for dry, moist and oily powdered substances.



SPECIFICATION

Model:	DZ320B	Appearance size:	385X155X80mm
Heating wire width:	3MM	Shell material:	Stainless steelABS
Sealable bag width:	32CM	Rated voltage:	AC110-220V
Net weight:	1.5kg	Vacuum degree:	-0.075~-0.08Mpa
Rated power :	150W	Rated frequency:	50HZ-60HZ

VACUUM MACHINE SERIES

Applicable to all textured vacuum bags

Fully automatic and wet & dry dual-purpose, it boasts main functions including vacuum sealing, single sealing, inching vacuum, etc. It can package both dry and wet foods, and is suitable for textured food bags, reticulated vacuum bags, rice brick bags and other plastic bags. Elegant, durable and reliable, this machine is cost-effective and affordable, making it an ideal choice for home use.



SPECIFICATION

Model:	W310B	Appearance size:	370X114X55mm
Heating wire width:	2.5MM	Shell material:	Engineering+ABS
Sealable bag width:	31CM	Rated voltage:	AC110-220V
Net weight:	0.83kg	Vacuum degree:	-0.06Mpa
Rated power :	100W	Rated frequency:	50HZ-60HZ



Flat Vacuum Bag
Sheet Bag



size	pcs	material	1 side thickness
12*500cm	2pcs/pack	PA+PE	80micron
15*500cm	2pcs/pack	PA+PE	80micron
17*500cm	2pcs/pack	PA+PE	80micron
20*500cm	2pcs/pack	PA+PE	80micron
22*500cm	2pcs/pack	PA+PE	80micron
25*500cm	2pcs/pack	PA+PE	80micron
28*500cm	2pcs/pack	PA+PE	80micron
30*500cm	2pcs/pack	PA+PE	80micron
32*500cm	2pcs/pack	PA+PE	80micron

Flat Vacuum Bag
Roll Bag



size	pcs	material	1 side thickness
7*10cm	100pcs/pack	PA+PE	80micron
7*12cm	100pcs/pack	PA+PE	80micron
9*12cm	100pcs/pack	PA+PE	80micron
10*15cm	100pcs/pack	PA+PE	80micron
12*20cm	100pcs/pack	PA+PE	80micron
15*20cm	100pcs/pack	PA+PE	80micron
15*25cm	100pcs/pack	PA+PE	80micron
17*25cm	100pcs/pack	PA+PE	80micron
20*25cm	100pcs/pack	PA+PE	80micron
20*30cm	100pcs/pack	PA+PE	80micron
25*30cm	100pcs/pack	PA+PE	80micron
25*35cm	100pcs/pack	PA+PE	80micron
28*35cm	100pcs/pack	PA+PE	80micron
28*40cm	100pcs/pack	PA+PE	80micron
30*40cm	100pcs/pack	PA+PE	80micron



The food vacuum fresh-keeping bags
bring you a convenient, environmentally
friendly and healthy life.

